







## Pallet scale with steel load support (IP67), verification optional

## Features

STANDARD

- Thanks to rechargeable battery operation (optional), compact, lightweight construction, it is suitable for the use in several locations
- Display device: for details see KERN KFC-TM
- IoT line: networkable balances with user-friendly concept of operation, for details see KERN KFC-TM
- With Real Time Clock as standard: Enables you to log the weighing results with accurate time information. Even if the power supply is interrupted, the balance can continue to work with the correct time
- Load support: steel, powder coated, 4 load cells, alloy steel, silicone-coated, protection against dust and water splashes IP67, Weighing bridge can also be delivered as component without the display device, for details see KERN KFU-V20
- Two wheels for easy transportation of the scale
- Weighing with tolerance range (checkweighing): A visual and audible signal assists the rapid checking of items on palettes
- Totalising of weights and piece counts
- Protective working cover included with delivery

## **Technical data**

- Large backlit LCD display, digit height 48 mm
- Dimensions of display device W×D×H
- 220×145×65 mm
- Cable length of display device approx. 5 m
- Permissible ambient temperature -10 °C/40 °C

## Accessories

- Protective working cover, scope of delivery 5 items, KERN YBA-A18S05
- Stand to elevate display device, height of stand approx. 1040 mm, KERN BFS-A07
- Internal rechargeable battery pack, operating time up to 22 h without backlight, charging time approx. 8 h, KERN YKR-01
- RS-232 interface adapter, KERN KUP-01
- USB interface adapter, KERN KUP-03
- Ethernet interface adapter, KERN KUP-04
- WiFi interface adapter, KERN KUP-05
- Bluetooth interface adapter, KERN KUP-06
- Analogue module, KERN KUP-08
- Extension box for connecting up to three interfaces in parallel, KERN KUP-13
- Memory module (alibi memory), KERN YMM-04
- Signal lamp for visual support of weighing with tolerance range, KERN CFS-A03
- Further details, plenty of further accessories and suitable printers see *Accessories*

PTION ET RS 232 USB	BT 4.0	LAN ACCU +3 DAYS	FACTORY			ent via freight forwarder. Please ask nsions, gross weight, shipping costs
lodel	Weighing capacity	Readability = Verification value	Minimal load	Net weight approx.	Options Verification DAkkS Calibr. Certificate	
	[Max]	[d] = [e]	[Min]	approva	M	DAkkS
ERN	kg	kg	kg	kg	KERN	KERN
JFC 600K-1M	600	0,2	4	55	965-230	963-130
JFC 1.5T-4M	1500	0,5	10	55	965-230	963-130

Note: For devices that require verification (conformity assessment according to NAWI 2014/31/EU), please include the verification when placing your order. The initial verification is not possible after delivery. Please inform the full address of the location of use for the initial verification.

%

 $\boldsymbol{\mathcal{C}}$ 

-√+ ⊙ ?»